



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The Senior V.P. (Projects) NEXZONE FISCAL SERVICES PRIVATE LIMITED 702, Marathon Max, Mulund-Goregaon Link Road, Mulund (West) Mumbai -400080

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/267933/2022 dated 12 May 2022. The particulars of the environmental clearance granted to the project are as below.

EC22B038MH187130 1. EC Identification No. 2. File No. SIA/MH/MIS/267933/2022

3. New **Project Type** 4. Category B2

5. 8(a) Building and Construction projects Project/Activity including Schedule No.

6. Name of Project Proposed Slum Rehabilitation Scheme on plot bearing C.T.S No. 15(pt.) of Village Kanjur, Kranti Nagar, Bhandup (W), Mumbai 400 078.

7. Name of Company/Organization **NEXZONE FISCAL SERVICES** PRIVATE LIMITED

8. **Location of Project** Maharashtra N/A 9. **TOR Date**

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Manisha Patankar Mhaiskar Date: 07/08/2022 **Member Secretary** SEIAA - (Maharashtra)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/267933/2022 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

То

M/s.Nexzone Fiscal Services Pvt Ltd., C.T.S. No. 15(pt) of Village: Kanjur, Kranti Nagar, Bhandup (W), Mumbai.

Subject : Environmental clearance for Proposed Slum Rehabilitation Scheme on

plot bearing C.T.S. No. 15(pt) of Village: Kanjur, Kranti Nagar, Bhandup

(W), Mumbai by M/s.Nexzone Fiscal Services Pvt Ltd.

Reference: Application no. SIA/MH/MIS/267933/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 178th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 246th (Day-3) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details		
1	Proposal Number	SIA/MH/MIS/267933/2022		
2	Name of Project	Proposed Slum Rel	nabilitation Scheme at Village: Kanjur,	
<u> </u>		Kranti Nagar, Bhan	dup (W), Mumbai	
3	Project category	8 (a)		
4	Type of Institution	Private		
5	Project Proponent	Name	Mr. Urvesh V. Mehta	
			(Sr. V. P. (Projects)	
			M/s. Nexzone Fiscal Services Pvt.	
			Ltd.	
	· · · · · · · · · · · · · · · · · · ·	Regd. Office	702, Marathon Max, Mulund	
		address	Goregaon Link Road, Mulund (west),	
			Mumbai	
		Contact number	9322888432	
		e-mail	aniket.kulkarni@marathonrealty.com	
6	Consultant	ULTRA TECH		
			ABET/EIA/2023/RA 0194	
		Validity: 9 th March	2023	
7	Applied for	New		
8	Location of the project	C.T.S No. 15(pt.) of Village Kanjur, Kranti Naga		
		(W), Mumbai 400 078.		
9	Latitude and Longitude	Latitude: 19°9'01.28"N		
		Longitude: 72°55'3:	5.30"E	

10	Plot Area	a (sa.m.)		4,072.00 Sq.mt.		 .	
11	Plot Area (sq.m.) Deductions (sq.m.)		210.72 Sq.mt.				
12	Net Plot area (sq.m.)		3,861.28 Sq.mt.				
13	Ground coverage (m ²) & %		1236.64 Sq. mt. (32 %)				
14	FSI Area (sq.m.)		18,938.87 Sq. m			·	
15	Non-FSI (sq.m.)		12,598.52 Sq. m				
16		l built-up area (FS	SI + Non	31,537.39 Sq. m		·	
10	_	•	JI . 110II	51,557.55 54.11			
17	FSI) (sq.m.) TBUA (m²) approved by Planning Authority till date		31,537.39 Sq. mt.				
18			h Total	Not applicable			
10	Earlier EC details with Total Construction area, if any.		Not applicable				
19	Construction completed as per earlier EC (FSI + Non FSI) (sq.m.)		Not applicable				
20	Previous	s EC / Existing I	Building	Proposed Confi	iguration	W	Reason for
		Configuration		Building	Configuration	Height	Modification
	Name S		(m)	Name		(m)	/ Change
			%	Rehabilitation	Stilt (Part	68.15	
				Building 1	Shop) + 1 st to	sq.mt	
					22 nd Upper		
					Floors		- 13 3 4
				Sale Building	Stilt + 1 st to	69.95	
				2	22 nd Upper	sq.mt	(A) (B) (B)
				(Wing A & B):	Floors		
	1	-		Wing C: School	Stilt + 1 st to 2 nd Upper Floors	11.70 sq.mt	
21	No of To	enements & Shor	าร	Rehabilitation:		1,	J
21	110.011			Total Flats: 191	and the first the facilities of the contract o		1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 * 1 *
	13 S.A.			Retail shops			
	Market V		19 - vediləliği	Rehab units: 164	4 Nos		
	l is	Ya, as William.	en samo ana S	Provisional PAP: 5 Residential + 1 Commercial			
	14.50			Regular PAP: 22 Nos.			
				Commercial: 3 Nos.			
				Balwadi: 1 No.			
				Society Office: 1 No.			
				Community Hall: 1 No.			
				Library: 1 No.			
				Welfare center:	1 No.		
,				Sale:			
			Total Flats: 562 Nos.				
				Retail Shops			
22	Total Population		3366 numbers of person				
23	Total Water Requirements CMD		425 CMD				
24	Under Ground Tank (UGT) U			Underground	· ·		
	location						

25	Source of water	Municipal Corporation	of Greater Mumb	ai
26	STP Capacity & Technology	STP Capacity with 120 KL (Rehab Building)		
		STP Capacity with		
27	STP Location	Technology: MBBR (Moving Bed Bio Reactor) Underground		
28	Sewage Generation CMD & % of	-	0 CMD	4
20	sewage discharge in sewer line	Sewage Generation: 409 CMD% of treated sewage discharge in sewer line 62 %		
20				
29	Solid Waste Management during Construction Phase	Туре	Quantity	Treatment /
	Construction Phase	D .	(Kg/d)	disposal
		Dry waste	9	Segregation of
	HATT HERE TO SEE	Wet waste	6	waste into
				biodegradable
			1,178,41	and non-
				biodegradable
				and disposal
				through
			7.	Authorized
				recyclers
		Construction waste	Demolition Deb	
			Brick/Blocks	
	[- 프로그램 : 사용시키 - 투운		authorized landf	
				hall be sold to
			authorized recyc	
			Excavation Ma	
			1	sed to authorized
				permission from
			M.C.G.M.	
				all be disposed to
			the authorized la	ndfill site
30	Total Solid Waste Quantities with	Type	Quantity	Treatment /
30	type during Operation Phase &	Type	(Kg/d)	1
4	Capacity of OWC to be installed	Description	854	disposal Handover to
	Capacity of O W C to be mistaned	Dry waste	004	Handover to authorized
				recyclers
	A PART OF THE PART	Wet waste	569	
		wet waste	303	
				Organic Waste Converter
			i i	(OWC)
	· 100 (100 (100 (100 (100 (100 (100 (100	E-Waste		(OWC)
		STP Sludge (dry)		Lice of maning
31	R.G. Area in sq. m.			Use as manure
71	K.G. Area iii sq. iii.	RG required: 308.90 Sq		not
		RG provided on mother		mt.
		RG provided on ground	. 105.50 Sq.mt.	
		Total: 308.91 Sq.mt.	N.	W
1		Existing trees on plot: 1		
		Number of trees to be p	ianted:	
		In RG area: 47 nos.		
		Miyawaki plantation:		
1		Number of trees to be co	ut: No cutting of t	rees involved

		Number of trees to be transplanted: 1 No.
33	Power requirement	During Operation Phase: Connected Load (KW): 2512 KW Maximum Demand (KW): 1364 KW
34	Energy Efficiency	a) Total Energy saving (%): 26.33 % b) Solar energy (%):5.20 %
35	D.G. set capacity	2 D.G. Sets of capacity 320 kVA and 660 kVA
36	No. of 4-W & 2-W Parking with 25% EV	4-Wheeler: 105 Nos. 2-Wheeler: 26 Nos. Provision of E-charging facilities- 25 % of 4-Wheeler and 2-Wheeler parking
37	No. & capacity of Rain water harvesting tanks /Pits	RWH Tank of capacity 126 KL
38	Project Cost in (Cr.)	Rs. 40.73 Cr
39	EMP Cost	Construction Phase: Rs.79.13 Lacs Operation Phase: Capital cost: Rs. 229.42 Lacs Operational and Maintenance cost: Rs. 39.91 Lacs/annum
40	CER Details with justification if anyas per MoEF & CC circular dated 01/05/2018	
41	Details of Court Cases/litigations w.r.t the project and project location, if any.	No litigation is pending against the project or land

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 246th (Day-3) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- PP to obtain following NOCs& remarks:
 a) Water Supply for Sale building;
 b) Sewer Connection;
 c) SWD remarks;
 d) Nalla remarks.
- 3. PP to obtain revised Civil Aviation NOC as its validity is expiring in September, 2022.
- 4. PP to submit revise architect certificate with CC wise construction done till date.
- 5. PP to increase capacity of STP of Sale building 10% more than actual sewage generation; PP to reduce discharge of treated water up to 35%. PP to submit undertaking from concerned authority/agency/third party regarding use of excess treated water.

- 6. PP to explore to provide natural ventilation to STP of Rehab building; PP to provide adequate mechanical ventilation to Rehab STP & include cost of same in EMP.
- 7. PP to relocate STP of Sale building proposed in driveway.
- 8. PP to provide adequate 2- wheeler parking and ensure that minimum 25% of 2-wheeler and 4-wheeler parking are equipped with electric charging facility.
- 9. PP to relocate parking proposed adjacent to Sale STP.
- 10. PP to maintain 1.5 Mtr. distance between OWC of Sale building & plot boundary.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI -18,938.87 m2, Non FSI-12598.52 m2, Total BUA-31,537.39 m2. (Plan approval No. S/PVT/0118/20140630/AP/S, Date-30.12.2022).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.

- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas)
 Protection and Preservation of Trees Act, 1975 as amended during the validity of
 Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.

- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same

periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions,

Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Patankar-Mhaiskar (Member Secretary, SHIRA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Mumbai Suburban.
- 6. Commissioner, Municipal Corporation of Greater Mumbai
- 7. Regional Officer, Maharashtra Pollution Control Board, Mumbai.